

VERSANTM

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa™ products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Akura	A58	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Alloy	ASL-44	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Aries	A35	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Bataan	ASL-92	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Bellagio	A68	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Bellagio Scroll	A93	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26½" H x 18" V	Straight across hang / Straight across match
Bexley	ASL-100	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Horizontal alignment
Biscayne	A82	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	18" H x 16½" V	Non-reverse hang / Straight across match
Bonaire	A69	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Botannica	A53	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Breccia	A45	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Caribe	A47	I	52/54" (132/137 cm)	15	10	339	Scrim	15	40		Reverse hang / Random match
Carolina	A86	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Châteaux	A50	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	13" H x 13¾" V	Non-reverse hang / Straight across match
Classico	A51	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match

VERS A™

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa™ products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Colonna	A80	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20		Non-reverse hang / Straight across match
Colori	A72	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Corrugae	ASL-103	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Ditto	A98	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Djakard	A40	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Ecco	A104	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	5½" H x 6" V	Non-reverse hang / Straight across match
Echelon	A61	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Encore	A57	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Galena	A105	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Non-reverse hang / Random match
Granada	A54	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Harlow	A77	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Hemisphere	N10	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20	4½" H x 4½" V	Reverse hang / Straight across match
Hyde Park	A30	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match

VERS A™

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa™ products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Imari Block	A79	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	6" H x 6" V	Reverse hang / Straight across match
Imerti	N11	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20	13¼" H x 18" V	Non-reverse hang / Straight across match
Inner Circle	A81	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	6" H x 6" V	Non-reverse hang / Straight across match
Intarsia Damask	N09	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20	13" H x 24" V	Reverse hang / Half drop match
Kharisma	A94	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Kiawah	A78	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Kinsei	A60	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Straight across match
La Scala	A59	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Manhattan Square	ASL-108	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40	13" H x 10½" V	Reverse hang / Straight across match
Marseilles	A101	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	10.6" H x 12" V	Reverse hang / Straight across match
Metallurgy	A99	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Morinda	A36	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Nepal	A33	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Obi Blossom	A91	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26½" H x 18" V	Straight hang / Half drop match

VERS A™

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa™ products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Obi Silk	A90	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	17½" H	Reverse hang / Random match
Obol	A87	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Non-reverse hang / Random match
Orlof	A88	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	4½" H x 9" V	Non-reverse hang / Straight across match
Osaka	A52	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Ostrich Block	A89	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	8.7" H x 6" V	Reverse hang / Horizontal alignment
Palisades	A70	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20		Reverse hang / Random match
Panama Linen	A76	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	8¾" H	Reverse hang / Random match
Pascha	A43	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Proximity	ASL-110	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Rhythm	A75	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Romanza	ASL-107	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40	13" H x 12" V	Reverse hang / Half drop match
Sağri	A63	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Sakai	A95	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Sakai Leaf	A96	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26½" H x 18" V	Non-reverse / Half drop match

VERS A™

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa™ products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Sakai Stripe	A97	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26½" H x 18" V	Non-reverse hang / Straight across match
Salerno	A67	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Seneca	A73	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Sequence	ASL-111	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Horizontal alignment
Styx	A84	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	1" H x 1" V	Non-reverse hang / Straight across match
Tangier	A46	II	52/54" (132/137 cm)	25	16.7	452	Osnaburg	5	10		Reverse hang / Random match
Tannery	A29	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Terreno	A85	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Tesla	A112	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20		Straight hang / Random match
Topiary	A31	I	52/54" (132/137 cm)	15	10	339	Scrim	15	40		Reverse hang / Random match
Toullisse II	A34	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Umbria	A83	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Waimea	ASL-106	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Wall St.	ASL-102	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40	26½" H x 18" V	Reverse hang / Random match
Westchester	A65	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match

VERSANTM

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa™ products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Westchester Square	A64	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	3½" H x 3½" V	Reverse hang / Straight across match
Zyp	A109	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	25	15		Reverse hang / Random match
*Meets or exceeds all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D											
Second-Look® (Contains at least 20% total recycled content with a minimum of 10% post-consumer)											
Akura	ASL-58	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Alloy	ASL-44	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Bataan	ASL-92	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Bellagio	ASL-68	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Bexley	ASL-100	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Horizontal alignment
Breccia	ASL-45	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Classico	ASL-51	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Corrugae	ASL-103	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Echelon	ASL-61	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match

VERSASTM

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa TM products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent [®] and Second-Look [®] are available.											
Manhattan Square	ASL-108	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40	13" H x 10 ¹ / ₈ " V	Reverse hang / Straight across match
Osaka	ASL-52	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Proximity	ASL-110	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Romanza	ASL-107	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40	13" H x 12" V	Reverse hang / Half drop match
Sağri	ASL-63	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Salerno	ASL-67	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Sequence	ASL-111	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Horizontal alignment
Toullisse II	ASL-34	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Umbria	ASL-28	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Waimea	ASL-106	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Wall St.	ASL-102	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40	26 ¹ / ₂ " H x 18" V	Reverse hang / Random match
Joseph Abboud[®], A Collection for VersaTM in Second-Look[®] (Contains at least 20% total recycled content with a minimum of 10% post-consumer)											
Ascot	JA01	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40	26" H x 24" V	Reverse hang / Straight across match
Cravate Stripe	JA02	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40	4 ¹ / ₂ " H	Reverse hang / Straight across match

VERS A™

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa™ products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Damasco	JA03	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40	26" H x 21" V	Non-reverse hang / Straight across match
Diamante	JA04	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40	2¼" H x 6" V	Non-reverse hang / Half drop match
Ecolage	JA05	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Hyde Park	JA06	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Madagascar	JA07	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Manhattan Square	JA08	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40	13" H x 10½" V	Reverse hang / Straight across match
Panama Linen	JA09	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Patine	JA10	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Riptide	JA11	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Silk Road	JA12	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Tex-Tiles	JA13	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
Woodlands	JA14	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	10	40		Reverse hang / Random match
n'viro® Collection, made with eco-friendly Terren® (a cellulose based substrate)											
Gramercy Square	N01	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20		Reverse hang / Horizontal alignment

VERS A™

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa™ products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Hemisphere	N10	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20	4½" H x 4½" V	Reverse hang / Straight across match
Imerti	N11	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20	13¼" H x 18" V	Non-reverse hang / Straight across match
Intarsia	N07	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20		Reverse hang / Horizontal alignment
Intarsia Damask	N09	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20	13" H x 24" V	Reverse hang / Half drop match
Kaslin	N03	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20		Reverse hang / Random match
Kwai	N04	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20		Reverse hang / Random match
Linea	N05	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20		Reverse hang / Random match
Orsini	N08	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20		Reverse hang / Random match
Tuxedo Square	N06	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20	2⅝" H x 2⅝" V	Reverse hang / Straight across match
Weston	N02	*	52/54" (132/137 cm)	15	10	339	Terren®	15	20		Reverse hang / Random match
*Meets or exceeds all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D											
Atria Collection											
Adria	AV2	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	13¼" H x 10½" V	Reverse hang / Half drop match
Allusion	AV2	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	6⅝" H x 18" V	Reverse hang / Half drop match

VERS A™

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa™ products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Allusion Silk	AV2	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Allusion Stripe	AV2	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	6 5/8" H	Reverse hang / Random match
Arbor	AV2	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Ashley	AV2	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	17 7/8" H x 18" V	Non-reverse hang / Straight across match
Ashley Stripe	AV2	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	6 5/8" H	Reverse hang / Random match
Baronness	AV2	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	17 1/4" H x 18" V	Non-reverse hang / Straight across match
Baronness Stripe	AV2	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	8 5/8" H x 18" V	Reverse hang / Straight across match
Fiori	AV2	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Flora	AV2	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	15 1/8" H x 12" V	Non-reverse hang / Half drop match
Gentry	AV2	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Mirabella	AV2	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	13 1/4" H x 18" V	Non-reverse hang / Straight across match
Pembrooke	AV2	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	26 1/2" H x 18" V	Non-reverse hang / Straight across match
Stria	AV2	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Toile	AV2	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	26 1/2" H x 18" V	Non-reverse hang / Straight across match

VERS A™

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa™ products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Fusion Collection											
Bandon	AV3	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	25¼" H x 18" V	Non-reverse hang / Straight across match
Darnel	AV3	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	26¼" H x 18" V	Non-reverse hang / Straight across match
Galena	AV3	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Non-reverse hang / Random match
Obol	AV3	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Non-reverse hang / Random match
Orlof	AV3	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	4½" H x 9" V	Non-reverse hang / Straight across match
Paglia	AV3	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	13" H x 12¼" V	Non-reverse hang / Straight across match
Phidian	AV3	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Non-reverse hang / Random match
Rhoton	AV3	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Non-reverse hang / Random match
Zarick	AV3	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	17¼" H x 10¼" V	Non-reverse hang / Straight across match
Origins Collection											
Bali	E05	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Barrier Reef	E06	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Burma	E03	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match

VERSANTM

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa™ products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Fronde	E08	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Hyde Park	E13	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Maracaibo	E07	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Mombasa	E02	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Nepal	E09	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Papyrus	E11	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Portofino	E12	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Horizontal alignment
Sahara	E04	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Serengeti	E01	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Sumeric	E10	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Pastiche Collection											
Arcadia	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Aspen	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Balustrade	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	5¾" H	Reverse hang / Random match

VERSANTM

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa™ products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Bloomsbury	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Chateau	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Chimera	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Classico	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Devonshire	AV1	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	26½" H x 18" V	Non-reverse hang / Straight across match
DiLino	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Florentino	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Fresco	AV1	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	26½" H x 18" V	Non-reverse hang / Straight across match
Highgrove	AV1	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	26½" H x 18" V	Reverse hang / Random match
Palladio	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Palladio Stripe	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15	12" H	Reverse hang / Random match
San Lorenzo	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Siena	AV1	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	9" H x 9" V	Non-reverse hang / Straight across match
Tracery	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match

VERSANTM

TECHNICAL DATA

Pattern Name	Pattern Prefix	Type	Width (average)	Total Weight oz/linear yard (average)	Total Weight oz/square yard (average)	Total Weight gr/square meter (average)	Backing	Fire Hazard Classification Class A (ASTM E-84)		Repeat	Installation
								Flame Spread	Smoke Developed		
All Versa™ products meet or exceed all Type II requirements of CCC-W-408A/D and Industry Voluntary Standard CFFA-W-101A/D. Meets California Section 01350 Indoor Air Quality Standard (Low VOC). Custom colors, weights, widths, Permavent® and Second-Look® are available.											
Trianon	AV1	II	52/54" (132/137 cm)	20	13.3	452	Non-woven	15	20	9" H x 9" V	Non-reverse hang / Straight across match
Umbria	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match
Vivoli	AV1	II	52/54" (132/137 cm)	20	13.3	452	Osnaburg	25	15		Reverse hang / Random match