# **Impact Resistant Flexible Wall Protection System** by Versa Designed Surfaces

## **Health Product Declaration v2.2**

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 23768** 

CLASSIFICATION: 10 26 00 Wall and Door Protection

PRODUCT DESCRIPTION: Semi-rigid wall protection product designed to provide superior function and durability in demanding environments while offering a wide color range and world class design. Highly resistant to staining or chemical attack, the surface is purpose engineered to meet the stringent hygiene standards of the healthcare environment.



## Section 1: Summary

## **Basic Method / Product Threshold**

#### CONTENT INVENTORY

**Inventory Reporting Format** 

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm

⊙ 1,000 ppm

C Per GHS SDS

Other

Considered Partially Considered

O Not Considered

Residuals/Impurities

Explanation(s) provided

for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances. Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more

Special Condition did not follow guidance.

## **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

IMPACT RESISTANT FLEXIBLE WALL PROTECTION SYSTEM [ POLYVINYL CHLORIDE (PVC) LT-P1 | RES LIMESTONE, CALCIUM CARBONATE LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-UNK BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg COTTON NoGS UNDISCLOSED LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END

UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS

UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED NoGS ALUMINUM HYDROXIDE, DRIED (PRIMARY CASRN IS 21645-51-2) BM-

2 | RES ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT - 1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

All substances above the threshold have been identified and screened by the Versa Designed Surfaces Technical Team.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -Classroom & Office scenario

#### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes No

PREPARER: Self-Prepared VERIFIER:

**VERIFICATION #:** 

PUBLISHED DATE: 2021-02-11 EXPIRY DATE: 2022-12-12

SCREENING DATE: 2019-12-12

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

#### IMPACT RESISTANT FLEXIBLE WALL PROTECTION SYSTEM

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities have been considered for this product by the Versa Designed Surfaces Technical Team.

OTHER PRODUCT NOTES: NA

POLYVINYL CHLORIDE (PVC) ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-12

%: 39.0000 - 52.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Substrate component.

## LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-12

%: 15.0000 - 20.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substrate component.

## **POLYETHYLENE TEREPHTHALATE (PET)**

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-12

%: 8.0000 - 12.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is a component of the woven backing.

## **BIS(2-ETHYLHEXYL) TEREPHTHALATE**

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-12

%: 7.0000 - 12.0000 GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substrate component.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-12

%: 2.0000 - 8.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Structure component HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is a component of the woven fabric backing.

 UNDISCLOSED

 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library
 HAZARD SCREENING DATE: 2019-12-12

 %: 1.0000 - 5.0000
 GS: LT-UNK
 RC: None NANO: No SUBSTANCE ROLE: Structure component

 HAZARD TYPE
 AGENCY AND LIST TITLES
 WARNINGS

 None found
 No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. The name and CAS# are not made public due to the proprietary nature of the substance and associated supplier agreement.

**TITANIUM DIOXIDE** ID: 13463-67-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-12 %: 1.0000 - 10.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Pigment **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS CAN **US CDC - Occupational Carcinogens** Occupational Carcinogen CAN CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route CAN **IARC** Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources **END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor** CAN MAK Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value CAN MAK Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Substrate component. Warnings associated with this substance are specific to it being unbound airborne particles of respirable size. It is present in the product only in non-respirable form bound within the polymer matrix.

UNDISCLOSED ID: Undisclosed

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. The name and CAS#

are not made public due to the proprietary nature of the substance and associated supplier agreement.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-12
%: 0.1000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. The name and CAS# are not made public due to the proprietary nature of the substance and associated supplier agreement.

SUBSTANCE NOTES: This substance has been identified and screened by Versa Designed Surfaces Technical Team. Due to the proprietary nature of the ingredient the name and CAS# are not divulged publicly.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-12

%: 0.0200 - 0.1500 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. Due to the proprietary nature of the substance the name and CAS# are not divulged publicly.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-12

%: 0.0200 - 0.1800 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. The name and CAS# are not made public due to the proprietary nature of the substance and associated supplier agreement.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-12

%: 0.0050 - 0.0100 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Ink

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance has been identified and screened by the Versa Designed Surfaces Technical Team. The name and CAS# are not made public due to the proprietary nature of the substance and associated supplier agreement.

## **ALUMINUM HYDROXIDE, DRIED (PRIMARY CASRN IS 21645-51-2)**

ID: 227961-51-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-12-12

%: Impurity/Residual GS: BM-2 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This substance is a residual impurity found in Titanium Dioxide pigment. It is present at <0.3% in the finished productand is bound securely within the polymer matrix and is not in respirable form.



## **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

24

### **VOC EMISSIONS**

## CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: Versa Designed Surfaces 2073

McDonald Ave. New Albany, IN 47150

**CERTIFICATE URL:** 

**CERTIFICATION AND COMPLIANCE NOTES:** 

ISSUE DATE: 2017-04- EXPIRY DATE:

CERTIFIER OR LAB: UL

**Environment** 



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

## COMMERCIAL GRADE HEAVY DUTY CLAY BASED STRIPPABLE WALLCOVERING AHESIVE

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

As recommended by installer.

# Section 5: General Notes

Meets criteria for low emission classification per CA01350 IAQ.

#### MANUFACTURER INFORMATION

MANUFACTURER: Versa Designed Surfaces

ADDRESS: 2073 McDonald Ave. New Albany IN 47150, USA

WEBSITE: https://versawallprotection.com/

CONTACT NAME: Keith Highfill TITLE: Technical Manager PHONE: 502-614-1031 EMAIL: khighfill@versads.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### **KEY**

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

#### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

present on at least one GreenScreen Specified List, but the

NoGS No GreenScreen.

# Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.